



Floor Standing Digital Signage Kiosk

49" | 65"

Floor Standing Digital Signage Kiosk

Infrared Touchscreen


Features

- Boasts Infrared 10-point Touch for versatile interaction, supporting gestures like Flick, Pinch, and Swipe.
- Features a built-in Windows PC with customizable CPU, RAM, and SSD options for tailored performance.
- Functions as a large-scale Tablet or Interactive Kiosk, enhancing sales and brand image effectively.
- Equipped with built-in wireless WIFI & Bluetooth, facilitating standalone touchscreen functionality.
- Offers a Full HD Definition Monitor with durable Tempered Glass for crystal-clear visuals.
- Ensures uninterrupted advertising with loop play capability 24/7.
- Supports remote control and GSM connectivity, with optional digital signage software for added versatility.
- Includes an integrated USB Multimedia Player for seamless media playback.
- Widely deployed across various settings like shopping malls, exhibitions, airports, hospitals, etc., for advertising and self-service kiosk usage.
- Accredited with high-quality certifications such as CB, CE-LVD, CE-EMC, FCC, and RoHS.



Advanced Split-screen Functionality.


Flexible Display of Photos and Videos



Product Details



Supported systems



Android



Windows



Linux



Applications



Shopping Guide



Catering



Cinemas



Bookstore Inquiry



Medical Promotion



Commercial Advertising





Floor Standing Digital Signage Kiosk

49" | 65"

TPS-20-49

Specifications



Specifications

Overview	Brand	Flexi
	Size	49 inch
	Body Material	SPCC Metal case body + Aluminum Frame
	Color	Black color
	Front surface	Tempered glass
	Life(hrs)	>60,000(hrs)
	Installation	Stand alone
Dimension	Outline Dimension	682* 1842* 430mm
	Visual Size	604(H)* 1073.8(V)mm
	Net Weight	53KG
Display	Panel type	A+ TFT-LCD Module
	Backlight	LED backlight
	Resolution	1920*1080
	Screen ratio	9:16
	Display color	16.7M
	Pixel Pitch(mm)	0.530(H)×0.530 (V)
	Brightness (nits)	350cd/m2
	Contrast	5000:1
	Visual angle	H ±178° / V ±178°

Specifications

PC Configuration	Main chipset	Intel
	CPU	Intel core i3/i5/i7
	Memory	4G / customization
	Storage	128G SSD / customization
	o/s	Windows 10 Pro English
	Graphics card	Intel HD Integrated Graphics
	Wifi	wireless 2.4G band, 802.11b/g/n
	Bluetooth	BT 4.0
	Sound card	Integrated
	Network card	RJ45 10/100/1000M adaptive
	Speaker	2x5W
	OSD display (Menu language)	Multilanguage pack

Interfaces	USB 2.0	*2
	LAN Port	*1
	Wifi antenna	*1
	AC Power	*1
	Switch Button	*1

Specifications


Touch Screen	Touch Type	G+G type capacitive 10 points touch
	Touch resolution	4096*4096
	Input Method	Finger, touch pen
	Response time	≤25ms
	Touch identification area	Φ5mm
	Writing screen media	3 mm tempered high transparent anti-glare glass
	Hardness of the Temper glass	Mohs 7
	Touch Durability	≥60 million times
	Communication mode	USB
Power& Temperature	Power supply	AC100~240V 50 /60 HZ
	Rated power (max)	≤110W
	Working temperature	0°C ~ 50°C
	Storage temperature	-20°C~60°C
	Working humidity	10%~90%
	Storage humidity	20%~85%
Certification	CB, CE-EMC, CE-LVD, FCC, RoHS etc	



Customised Logo

- 1.Support Split Screen
- 2.Customisation
- 3.Intelligent Speech
- 4.Loop Play
- 5.Remote Control
- 6.HD Display

HD Display
1080P






Floor Standing Digital Signage Kiosk

49" | 65"

TPS-20-65

Specifications



Specifications

Overview	Brand	Flexi
	Size	65 inch
	Body Material	SPCC Metal case body + Aluminum Frame
	Color	Black color
	Front surface	Tempered glass
	Life(hrs)	>60,000(hrs)
	Installation	Stand alone
Dimension	Outline Dimension	881.5* 2051.5* 430mm
	Visual Size	803.5(H)* 1428.5(V)mm
	Net Weight	74KG
Display	Panel type	A+ TFT-LCD Module
	Backlight	LED backlight
	Resolution	1920*1080
	Screen ratio	9:16
	Display color	16.7M
	Pixel Pitch(mm)	0.530(H)×0.530 (V)
	Brightness (nits)	350cd/m2
	Contrast	5000:1
	Visual angle	H ±178° / V ±178°

Specifications

PC Configuration	Main chipset	Intel
	CPU	Intel core i3/i5/i7
	Memory	4G / customization
	Storage	128G SSD / customization
	O/S	Windows 10 Pro English
	Graphics card	Intel HD Integrated Graphics
	Wifi	wireless 2.4G band, 802.11b/g/n
	Bluetooth	BT 4.0
	Sound card	Integrated
	Network card	RJ45 10/100/1000M adaptive
	Speaker	2x5W
	OSD display (Menu language)	Multilanguage pack

Interfaces	USB 2.0	*2
	LAN Port	*1
	Wifi antenna	*1
	AC Power	*1
	Switch Button	*1

Specifications

Touch Screen	Touch Type	G+G type capacitive 10 points touch
	Touch resolution	4096*4096
	Input Method	Finger, touch pen
	Response time	≤25ms
	Touch identification area	Φ5mm
	Writing screen media	3 mm tempered high transparent anti-glare glass
	Hardness of the Temper glass	Mohs 7
	Touch Durability	≥60 million times
	Communication mode	USB
Power & Temperature	Power supply	AC100~240V 50 /60 HZ
	Rated power (max)	≤140W
	Working temperature	0°C ~ 50°C
	Storage temperature	-20°C~60°C
	Working humidity	10%~90%
	Storage humidity	20%~85%
Certification	CB, CE-EMC, CE-LVD, FCC, RoHS etc	



- 1.Support Split Screen
- 2.Customisation
- 3.Intelligent Speech
- 4.Loop Play
- 5.Remote Control
- 6.4K Display

Customised Logo

FLEXI

Support Wheels

HD Display

